

AMENDED

Serial No.

57600

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office..... MAY 05 1992

Returned to applicant for correction..... JUN 19 1992

Corrected application filed..... APR 02 1993 Map filed..... APR 07 1993

The applicant..... ROBERT L. WEISE

7300 FRANKTOWN ROAD of CARSON CITY

Street and No. or P.O. Box No. City or Town

NEVADA 89704

State and Zip Code No. hereby make^S application for permission to change the

POINT OF DIVERSION, PLACE OF USE AND MANNER OF USE OF A PORTION

Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under..... PERMIT #21413, CERTIFICATE 6087.

Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and

Identify right in Decree.

1. The source of water is..... UNDERGROUND
Name of stream, lake, underground spring or other source.

2. The amount of water to be changed..... 0.168 CFS, 121.71 ACRE FEET.
Second feet, acre feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for..... QUASI-MUNICIPAL
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

4. The water heretofore permitted for..... IRRIGATION AND DOMESTIC.
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

5. The water is to be diverted at the following point..... NW $\frac{1}{4}$ SE $\frac{1}{4}$ SECTION 22, T16N, R19E, MDB&M, at a
Describe as being within a 40-acre subdivision of public survey and by course and
point from which the SE corner of said Section 22 bears S 48° 04' 47" E, a
distance to a section corner. If on unsurveyed land, it should be stated.
distance of 2,293.36 feet.

6. The existing permitted point of diversion is located within..... SW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 22, T16N, R19E, MDB&M,
If point of diversion is not changed, do not answer.
at a point from which the SE corner of said Section 22 bears S 68° 10' E, a
distance of 2255 feet.

7. Proposed place of use..... Portions of the E $\frac{1}{2}$ and the S $\frac{1}{2}$ S $\frac{1}{2}$ SW $\frac{1}{4}$, Section 22; portions of NW $\frac{1}{4}$,
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.
NW $\frac{1}{4}$ NE $\frac{1}{4}$ and N $\frac{1}{2}$ SW $\frac{1}{4}$, Section 23; and a portion of the NW $\frac{1}{4}$ Section 26; and a portion
of the N $\frac{1}{2}$ Section 27, T16N, R19E, MDB&M

8. Existing place of use..... SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 22, (12.95 acres/47.84 AF); and E $\frac{1}{2}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ Section
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or
22 (20 acres/73.88 AF), all in T16N, R19E, MDB&M.
manner of use of irrigation permit, describe acreage to be removed from irrigation.

9. Use will be from..... January 1 to December 31 of each year.
Month and Day Month and Day

10. Use was permitted from..... January 1 to December 31 of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilling a new well to an approximate depth of 300 feet with casing and screens as required by Washoe County Utility Department.
State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and flumes, or drilled well, etc.

12. Estimated cost of works..... \$75,000.00

13. Estimated time required to construct works..... five (5) years.

14. Estimated time required to complete the application of water to beneficial use.....ten (10) years.

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

This application is filed in conjunction with application #58182 because a portion of Permit #21413 is supplemental to Permit #20648. Water is to be used to serve approximately 120 units in Lightning "W" Ranch subdivisions as well as adjacent properties.

By s/Robert L. Weise
7300 Franktown Road
Carson City, Nevada 89704

Compared.....bc/bc.....ab/se.....

Protested.....

APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 21413, Certificate 6087 is issued subject to the terms and conditions imposed in said Permit 21413, Certificate 6087 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.
(CONTINUED ON PAGE 2)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed.....0.1681.....cubic feet per second....., but not to exceed 121.70 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before.....January 25, 1996

Proof of completion of work shall be filed before.....February 25, 1996

Application of water to beneficial use shall be made on or before.....January 25, 2001


Proof of the application of water to beneficial use shall be filed on or before.....February 25, 2001



Map in support of proof of beneficial use shall be filed on or before.....N/A

Completion of work filed.....
Proof of beneficial use filed.....
Cultural map filed.....
Certificate No.....Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 25th day of January

A.D. 19 94

State Engineer

WITHDRAWN BY APPLICANT JUL - 1 1996

STATE ENGINEER
 (O)-1108 (Rev. 6-81)

(PERMIT TERMS CONTINUED)

A monthly report shall be submitted to the State Engineer within 10 days from the end of each month which shall include the amount of water pumped from the well and the amount of water used.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 57599, 57600 and 58182 shall not exceed 131.80 acre-feet annually.